




Textures

REGISTERED EMBOSSED LVT























Contents

HERRINGBONE




Sycamore	TH01	6
Old English Oak	TH02	8
Tudor Oak	TH03	10
Washed Oak	TH04	12
Weathered Oak	TH05	14
Distressed Oak	TH06	16
Honey Oak	TH07	17
Ash	TH08	18

PLANKS

Sycamore	TP01	22
Old English Oak	TP02	24
Tudor Oak	TP03	26
Washed Oak	TP04	28
Weathered Oak	TP05	30
Distressed Oak	TP06	32
Honey Oak	TP07	34
Ash	TP08	36





INTRODUCTION

WHY CHOOSE TEXTURES?

Textures® blends the beauty of natural wood with the practicality of stick-down LVT (luxury vinyl tile) for the perfect balance of style and functionality.

Registered Embossing is used to create organically inspired surfaces that look and feel just like natural hardwood for an ultra-realistic appearance.

High-end performance and finish has been achieved through the best industry R&D, placing Textures at the pinnacle of LVT production.

A commercially-rated, scratch-resistant 0.55mm wear layer offers exceptional durability for residential and commercial settings. It also stain and water-resistant, which makes cleaning very easy.









This exceptional all-round durability makes it especially suitable for kitchens, bathrooms and play areas.

Textures is backed by 30-year residential and 15-year commercial warranties.

- · Registered Embossed finish
- · Class 33 Heavy Contract
- · 2.5mm thick with 0.55mm wear layer
- Slip-resistant rated +36
- · Water and stain-resistant
- · Easy to clean and maintain
- · Rated A+ for VOC emissions
- · Contains no formaldehyde
- · 30-year residential warranty
- · 15-year commercial warranty

Registered Embossing for an Ultra-Realistic Finish

Textures is a high-end LVT product with a highly authentic look and feel, thanks to its Registered Embossed finish. But what does this mean?

The surface texture is three-dimensional, so that it exactly matches the pattern of the wood-grain film beneath. In this way, each knot and grain that you can see, also matches what you can feel.























Herringbone floors make a really bold statement and you can create the iconic zig-zag pattern in several ways in addition to some more unusual options.


Below are a selection of the more popular Herringbone laying patterns.











Traditional Herringbone

Double Herringbone

Diagonal Herringbone

Herringbone / Plank Mix

Herringbone Ladder

SYCAMORE Herringbone **TH01**Available in matching Plank **TP01**

HERRINGBONE




Colours	8
Thickness	2.5mm
Wear layer	0.55mm
Size	95mm × 380mm
Planks per pack	24 planks = 0.8664m ²
Warranty	30-year residential 15-year commercial

Herringbone is an elegant and highly versatile option that will very easily transform your home or workplace.

Suitable for traditional and contemporary settings, it can be installed in a variety of striking laying patterns.

All eight Herringbone colours are available in matching Planks (see page 22).

SYCAMORE Herringbone **TH01**Available in matching Plank **TP01**






Highly Durable

Textures features a commercially-rated 0.55mm thick wear layer, making it suitable for both residential and commercial areas.

The wear layer protects the floor from scuffs and scrapes, preserving it for many years.





Realistic Appearance


Textures has the most realistic aesthetic with a Registered Embossed surface that looks and feels just like natural hardwood. Bevelled edges complete the look.





Easy to Maintain

Textures is incredibly easy to look after. The wear layer is highly scratch and stain-resistant which preserves its appearance for many years. All that is required is a soft brush and spray mop.



WEATHERED OAK Herringbone **TH05**Available in matching Plank **TP05**






DISTRESSED OAK Herringbone **TH06**Available in matching Plank **TP06**

HONEY OAK Herringbone **TH07** Available in matching Plank **TP07**





ASH Herringbone **TH08**Available in matching Plank **TP08**

SYCAMORE Herringbone **TH01**Available in matching Plank **TP01**



OLD ENGLISH OAK Herringbone **TH02**Available in matching Plank **TP02**



WEATHERED OAK Herringbone **TH05**Available in matching Plank **TP05**



DISTRESSED OAK Herringbone **TH06**Available in matching Plank **TP06**

Matching Planks

All eight Textures Herringbone products have matching Planks available on the following pages.



TUDOR OAK Herringbone **TH03**Available in matching Plank **TP03**



WASHED OAK Herringbone **TH04**Available in matching Plank **TP04**




HONEY OAK Herringbone **TP07**Available in matching Plank **TH07**



ASH Herringbone **TP08**Available in matching Plank **TH08**

PLANKS



Experience the beauty of natural wood with all the knots and swirls in a longer and wider format.

All eight Plank colours are available in matching Herringbone (see page 7). Choose from the deliciously warm Honey Oak through to the rich and chocolatey Tudor Oak and everything in between.

Colours	8
Thickness	2.5mm
Wear layer	0.55mm
Size	187mm × 1227mm
Planks per pack	16 planks = 3.67m ²
Warranty	30-year residential 15-year commercial



SYCAMORE Plank **TP01**Available in matching Herringbone **TH01**

SYCAMORE Plank **TP01**Available in matching Herringbone **TH01**





OLD ENGLISH OAK Plank **TP02**Available in matching Herringbone **TH02**


OLD ENGLISH OAK Plank **TP02**Available in matching Herringbone **TH02**






TUDOR OAK Plank **TP03**Available in matching Herringbone **TH03**


TUDOR OAK Plank **TP03**Available in matching Herringbone **TH03**



Water-Resistant

Textures is stain and water-resistant, making it a great choice for bathrooms, kitchens and play areas.





Safety First

Textures contains no formaldehyde or heavy metals and is rated A+ for VOC emissions and has also achieved Eurofins Gold Certification for Indoor Air Comfort. In addition, Textures is FloorScore certified, all of which makes it completely safe for your home.



No Need for Expansion Gaps

Textures LVT requires glue for fitting and can be fitted tight against straight and curved walls and fixtures, which means there is no requirement for any expansion gaps.






DISTRESSED OAK Plank **TP06**Available in matching Herringbone **TH06**

DISTRESSED OAK Plank **TP06**Available in matching Herringbone **TH06**





Slip-Resistant

Textures rates highly in PTV (Pendulum Slip Value) tests with a rating of 36+ which is deemed as low slip potential.

PTV tests are conducted in accordance with the UKSRG (UK Slip Resistance Group) and HSE (Health and Safety Executive) guidelines. PTV test ratings are as follows:

- 0-24 High risk24-35 Moderate risk
- 36+ Low risk

HONEY OAK Plank **TP07** Available in matching Herringbone **TH07**



ASH Plank **TP08**Available in matching Herringbone **TH08**





Suitable for Underfloor Heating

With comfort in mind, Textures is manufactured for use in rooms featuring water-based UFH (underfloor heating) systems.

Surface temperature must not exceed 27°C and flooring must be fitted in accordance with BS EN 1264-2, as well as the UFH manufacturer's guidelines. If other UFH systems are used, please first consult your flooring supplier for suitability.



SYCAMORE Plank **TP01**Available in matching Herringbone **TH01**



OLD ENGLISH OAK Plank **TP02**Available in matching Herringbone **TH02**



WEATHERED OAK Plank **TP05**Available in matching Herringbone **TH05**



DISTRESSED OAK Plank **TP06**Available in matching Herringbone **TH06**



TUDOR OAK Plank **TP03**Available in matching Herringbone **TH03**



WASHED OAK Plank **TP04**Available in matching Herringbone **TH04**



HONEY OAK Plank **TP07**Available in matching Herringbone **TH07**



ASH Plank **TP08**Available in matching Herringbone **TH08**



Wood flooring, reimagined.





























The Textures LVT range has a Declared Slip Rating of 36+ in PTV (Pendulum Slip Value) tests, which is deemed as low slip potential. See page 27 for more details.

For a Technical Data Sheet and information on cleaning, maintenance, installation and warranties, please refer to **www.textureslvt.co.uk**